

## Certificate of Conformity of the Factory Production Control 2195-CPR-2110201

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Hot finished structural hollow sections of non-alloy and fine grain steels

(tested for performance for the characteristics described in Annex 1 which is an inseparable part of this certificate)

produced by the manufacturer

**TOSÇELİK PROFİL VE SAC END. A.Ş.**

**Osmaniye organize Sanayi Böl. Türkmen Beldesi Büyüktüysüz Mahallesi Ali İlbeyli  
Caddesi No:18 Toprakkale / Osmaniye-TURKEY**

and produced in the manufacturing plant

**TOSÇELİK PROFİL VE SAC END. A.Ş.**

**Osmaniye organize Sanayi Böl. Türkmen Beldesi Büyüktüysüz Mahallesi Ali İlbeyli  
Caddesi No:18 Toprakkale / Osmaniye-TURKEY**

*This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)*

**EN 10210-1: 2006**

*under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements. This certificate was first issued on 12.04.2021, renewed on 12.04.2024 and will remain valid as long as neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit, the period validity date is renewed every year after the surveillance audits.*

Validity Date : 12.04.2027

Period Validity Date : 12.04.2025



**Rukiye BALKAN**  
Deputy General Manager



FR. CPR. 24 R:03

## Certificate of Conformity of the Factory Production Control 2195-CPR-2110201

### Annex 1

Intended uses;


To be used in metal structures or in composite metal and concrete structures.

Controlled Performance Characteristics;

- Dimension and Shape Tolerances,
- Yield Strength,
- Elongation,
- Tensile Strength,
- Impact Resistance,
- Weldability.

Certification Scope:

Steel Grade	Section	Dimensional Tolerances
S235JRH	Circular hollow Sections	Ø from 17,00 mm up to 339,70 mm wall thickness: from 3 mm up to 13,00 mm
S275J0H	Square hollow sections	from 10 mm x 10 mm up to 250 mm x 250 mm, wall thickness: from 3 mm up to 13,00 mm
S275J2H		
S355J0H		
S355J2H	Rectangular hollow sections	from 20 mm x 10 mm up to 300 mm x 200 mm, wall thickness: from 3 mm up to 13,00 mm



Rukiye BALKAN  
Deputy General Manager

FR. CPR. 24 R:03